

## DISPATCH CONSOLE

### Unikom 9

Dispatcher console Unikom 9 is the basic control element of Multikom communication system and is installed at the workstations of dispatchers who actively use various means of voice communication connected to Multikom system. It enables easy control of voice communication through many communication channels, significant reduction of time spent on phone calls and active access to radio functions of Multikom system. Modifiable graphic interface of the control touch screen enables simple and intuitive operation and allows to adjust the working environment to the specific requirements of dispatchers, depending on the organization in which they work and the functions performed in the dispatching system.



The console allows the connection of external devices such as headphones or headsets, external microphone with PTT button and PTT footswitch, telephone handset, keyboard, mouse, etc.

All critical hardware parts of the console are fully integrated into one housing, including the LCD touch panel, speakers and microphone. The console is mounted on the dispatcher's workstation using any stand or VESA standard monitor mount. In the rear part of the console there are available VESA mounting holes with 100 mm and 80 mm square sides.

The console is powered from 230 VAC using a dedicated power adapter, to start work on the console it is also necessary to connect it to the local LAN/WAN network. After powering on, the operating system is loaded and the graphical work environment is prepared, after which the device is ready to work.

## TECHNICAL SPECIFICATIONS


Model	UNIKOM 915	UNIKOM 921
Power supply	adapter 230 VAC	adapter 230 VAC
Energy absorption (W)	max 2A	max 2A
Dimensions (mm)	410 x 290 x 31 (40mm with power connector)	541 X 380 X 31
Weight (kg)	4,5	6
Control screen diagonal (inches)	15	21
Method of mounting	VESA 100mm	VESA 100mm
Built-in microphone	1	1
Built-in speakers	2	2
ETH ports	2	2
USB ports	4 (including 3 for audio devices)	4 (including 3 for audio devices)
Removable storage	micro SD card	micro SD card
External microphone jack	1	1
PTT transmit footswitch jack connector	1	1
Operating system, user software	LINUX, JAVA	LINUX, JAVA

Elvys Polska Sp. z o.o.  
Al. Grunwaldzka 413  
80-309 Gdańsk

+48 500 100 902  
www.elvys.pl


Mission critical  
communication

## INTERFACES, CONNECTORS AND SIGNALING



## MECHANICAL DIMENSIONS IN MM





Elvys Polska Sp. z o.o.  
Al. Grunwaldzka 413  
80-309 Gdańsk

+48 500 100 902  
[www.elvys.pl](http://www.elvys.pl)

**Mission critical  
communication**